

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 2018-784

NAKAI et al

C# M#

Serial No. 10/674,472

C/A.U.

2837

Filed: October 1, 2003

Examiner: E. Colon Santana

Date: August 11, 2005

Title: MOTOR CONTROL APPARATUS HAVING CURRENT SUPPLY PHASE  
CORRECTIONCommissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**RESPONSE/AMENDMENT/LETTER**

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment 6 minus highest number  
previously paid for 20 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 1 minus highest number  
previously paid for 3 (at least 3) = 0 x \$200.00 \$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add  
\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this

paper and attachment(s)

One Month Extension \$120.00 (1251)/\$60.00 (2251)

Two Month Extensions \$450.00 (1252)/\$225.00 (2252)

Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)

Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$ 120.00

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

**TOTAL FEE ENCLOSED \$ 120.00**


The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor  
Arlington, Virginia 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100  
LSN:lmr

NIXON &amp; VANDERHYE P.C.

By Atty: Larry S. Nixon, Reg. No. 25,640

Signature: 



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of

NAKAI et al

Atty. Ref.: 2018-784; Confirmation No. 5507

Appl. No. 10/674,472

TC/A.U. 2837

Filed: October 1, 2003

Examiner: E. Colon Santana

For: MOTOR CONTROL APPARATUS HAVING CURRENT SUPPLY PHASE  
CORRECTION

\* \* \* \* \*

August 11, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**AMENDMENT**

In response to the Office Action dated April 15, 2005, please amend the above-identified  
application as shown below:

08/12/2005 JADD01 00000085 10674472  
01 FC:1251 120.00 OP